



# Φ24 PVC Centralizer




Material: U-PVC (聚氯乙炔)

Thickness: ≥2mm

Standard: ASTM D1599

Model	ID (mm)	OD (mm)	Length	Weight	Package
2460	24	60	≥150	~60g	200pcs
2470	24	70	≥150	~61g	200pcs
2480	24	80	≥155	~62g	200pcs
2490	24	90	≥160	~63g	200pcs
24100	24	100	≥160	~65g	200pcs
24120	24	120	≥165	~75g	100pcs
24135	24	135	≥175	~88g	100pcs
24145	24	145	≥180	~100g	100pcs
24155	24	155	≥180	~105g	100pcs
24165	24	165	≥200	~110g	100pcs
24175	24	175	≥220	~120g	100pcs

Others size can be made by order.





# Φ28 PVC Centralizer




Material: U-PVC (聚氯乙炔)

Thickness: ≥2mm

Standard: ASTM D1599

Model	ID (mm)	OD (mm)	Length	Weight	Package
2850	28	50	≥150	~55g	200pcs
2860	28	60	≥150	~55g	200pcs
2865	28	65	≥150	~56g	200pcs
2870	28	70	≥150	~58g	200pcs
2875	28	75	≥150	~58g	200pcs
2880	28	80	≥150	~60g	200pcs
2890	28	90	≥155	~63g	100pcs
28100	28	100	≥155	~65g	100pcs
28120	28	120	≥160	~70g	100pcs
28130	28	130	≥170	~75g	100pcs
28150	28	150	≥180	~80g	100pcs

Others size can be made by order.





# Φ30 PVC Centralizer




Material: U-PVC (聚氯乙炔)

Thickness: ≥2mm

Standard: ASTM D1599

Model	ID (mm)	OD (mm)	Length	Weight	Package
3060	30	60	≥150	~60g	200pcs
3070	30	70	≥150	~61g	200pcs
3080	30	80	≥155	~62g	200pcs
3090	30	90	≥160	~63g	200pcs
30100	30	100	≥160	~65g	200pcs
30120	30	120	≥165	~75g	100pcs
30135	30	135	≥175	~88g	100pcs
30150	30	150	≥180	~100g	100pcs
30160	30	160	≥180	~105g	100pcs
30180	30	180	≥200	~110g	100pcs
30200	30	200	≥220	~120g	100pcs

Others size can be made by order.





# Φ34 PVC Centralizer




Material: U-PVC (聚氯乙炔)

Thickness:  $\geq 2\text{mm}$

Standard: ASTM D1599

Model	ID (mm)	OD (mm)	Length	Weight	Package
3460	34	60	$\geq 150$	~60g	200pcs
3470	34	70	$\geq 150$	~61g	200pcs
3480	34	80	$\geq 155$	~62g	200pcs
3490	34	90	$\geq 160$	~63g	200pcs
34100	34	100	$\geq 160$	~65g	200pcs
34120	34	120	$\geq 165$	~75g	100pcs
34135	34	135	$\geq 175$	~88g	100pcs
34150	34	150	$\geq 180$	~100g	100pcs
34160	34	160	$\geq 180$	~105g	100pcs
34180	34	180	$\geq 200$	~110g	100pcs
34200	34	200	$\geq 220$	~120g	100pcs

Others size can be made by order.





# Φ37 PVC Centralizer




Material: U-PVC (聚氯乙烯)

Thickness:  $\geq 2\text{mm}$

Standard: ASTM D1599

Model	ID (mm)	OD (mm)	Length	Weight	Package
3760	37	60	$\geq 150$	~70g	200pcs
3770	37	70	$\geq 150$	~78g	200pcs
3780	37	80	$\geq 155$	~85g	200pcs
3790	37	90	$\geq 160$	~88g	200pcs
37100	37	100	$\geq 160$	~90g	200pcs
37120	37	120	$\geq 165$	~95g	100pcs
37135	37	135	$\geq 175$	~98g	100pcs
37150	37	150	$\geq 180$	~100g	100pcs
37160	37	160	$\geq 180$	~110g	100pcs
37180	37	180	$\geq 200$	~125g	100pcs
37200	37	200	$\geq 220$	~135g	100pcs

Other size can be made by order.





# Φ42 PVC Centralizer




Material: U-PVC (聚氯乙烯)

Thickness: ≥3mm

Standard: ASTM D1599

Model	ID (mm)	OD (mm)	Length	Weight	Package
4280	42	80	≥150	~110g	100pcs
4290	42	90	≥155	~120g	100pcs
42100	42	100	≥155	~130g	100pcs
42110	42	110	≥160	~140g	100pcs
42120	42	120	≥165	~150g	50pcs
42130	42	130	≥170	~150g	50pcs
42140	42	140	≥175	~160g	50pcs
42150	42	150	≥180	~170g	50pcs
42160	42	160	≥185	~180g	50pcs
42180	42	180	≥200	~200g	50pcs
42200	42	200	≥220	~220g	50pcs

Other sizes can be made by order.





# Φ56 PVC Centralizer




Material: U-PVC (聚氯乙烯)

Thickness: ≥3mm

Standard: ASTM D1599

Model	ID (mm)	OD (mm)	Length	Weight	Package
5680	56	80	≥150	~120g	100pcs
5690	56	90	≥155	~120g	100pcs
56100	56	100	≥155	~130g	100pcs
56110	56	110	≥160	~140g	100pcs
56120	56	120	≥165	~150g	50pcs
56130	56	130	≥170	~150g	50pcs
56140	56	140	≥175	~160g	50pcs
56150	56	150	≥180	~170g	50pcs
56160	56	160	≥185	~180g	50pcs
56180	56	180	≥200	~200g	50pcs
56200	56	200	≥220	~220g	50pcs

Other sizes can be made by order.





# Φ70 PVC Centralizer




Material: U-PVC (聚氯乙烯)

Thickness:  $\geq 2\text{mm}$

Standard: ASTM D1599

Model	ID (mm)	OD (mm)	Length	Weight	Package
70100	70	100	$\geq 160$	~85g	100pcs
70110	70	110	$\geq 165$	~100g	50pcs
70120	70	120	$\geq 170$	~105g	50pcs
70125	70	125	$\geq 170$	~105g	50pcs
70130	70	130	$\geq 170$	~105g	50pcs
70135	70	135	$\geq 175$	~110g	50pcs
70140	70	140	$\geq 175$	~110g	50pcs
70145	70	145	$\geq 175$	~110g	50pcs
70150	70	150	$\geq 180$	~120g	50pcs
70180	70	180	$\geq 200$	~150g	50pcs
70200	70	200	$\geq 200$	~180g	50pcs

Others size can be made by order.




# Olive shape centralizer



Model	ID (mm)	OD (mm)	Length	Weight	Package
SF9025	25	80	130	70g	100pcs
SF9032	32	80	130	70g	100pcs
SF9040	40	80	130	70g	100pcs
SF9028	25	90	150	75g	100pcs
SF9035	32	90	150	75g	100pcs
SF10040	40	90	140	75g	100pcs
SF10050	50	90	140	80g	100pcs
SF11040	40	100	140	90g	100pcs
SF11050	50	100	140	90g	100pcs
SF12129	29	120	175	120g	50pcs
SF12132	32	120	175	120g	50pcs
SF12135	36	120	175	120g	50pcs

Material: HDPE (高密度聚乙烯)






# Wrap-around type Centralizer



Model	ID (mm)	OD (mm)	Length	Weight	Package
2550	25	50	150	~60g	200pcs
2565	25	65	150	~61g	200pcs
2570	25	70	150	~62g	200pcs
2580	25	80	150	~63g	200pcs
25100	25	100	150	~65g	200pcs
3270	32	70	150	~65g	200pcs
3280	32	80	150	~65g	200pcs
3290	32	90	150	~65g	200pcs
32100	32	100	150	~75g	200pcs
4070	40	70	150	~75g	200pcs
4080	40	80	150	~75g	200pcs

Material: HDPE (高密度聚乙烯)







# PTG Centralizer




Model	ID	OD	Length	Weight	Package
CAU2550	25	50	150	~60g	200pcs
CAU2565	25	65	150	~61g	200pcs
CAU2580	25	80	150	~62g	200pcs
CAU3265	32	65	150	~63g	200pcs
CAU3280	32	80	150	~65g	200pcs
CAU32100	32	100	150	~75g	100pcs
SAU65100	65	100	150	~88g	100pcs
SAU85120	85	120	150	~100g	100pcs
SAU100150	100	150	150	~105g	100pcs

Material: HDPE (聚乙烯)





# SF Strap Ex-Centralizer




Model	ID (mm)	OD (mm)	Length	Weight	Package
65100	65	100	150mm	~60g	100pcs
80120	80	120	200mm	~70g	100pcs
90120	90	120	200mm	~70g	100pcs
100150	100	150	200mm	~100g	100pcs
100180	100	180	200mm	~120g	100pcs
110150	110	150	200mm	~100g	100pcs
110180	110	180	200mm	~100g	100pcs

*Material: HDPE (聚乙烯)*

*Thickness: ≥2mm*

*Others size can be made by order.*





# Corrugated Sheathing for DCP anchor




Model	ID (mm)	OD (mm)	thick	Length	Weight
CS5065	50	65	≥2mm	150m/coil	600g/m
CS6585	65	85	≥2mm	150m/coil	750g/m
CS80100	80	100	≥2mm	120m/coil	900g/m
CS100125	100	125	≥2mm	100m/coil	1100g/m

Material: HDPE (高密度聚乙烯)

ID:29mm/OD:121mm

Standard: ASTM D1599






# U-PVC Corrugated Sheathing for DCP anchor



Model	ID (mm)	OD (mm)	thick	Length	Weight
SF7080	70	80	≥1mm	5.2m/coil	600g/m
SF8090	80	90	≥1mm	5.2m/coil	650g/m
SF90100	90	100	≥1mm	5.2m/coil	700g/m
SF100110	100	110	≥1mm	5.2m/coil	750g/m

*Material: U-PVC (硬脂聚氯乙烯)*

*Standard: BS 2782 / ASTM 1693*





# Grout tube (HDPE)

Model	ID (mm)	OD (mm)	Length	Weight	Package
1620	16	20	200m/coil	~10kg	
1721	17	21	200m/coil	~11kg	
1822	18	22	200m/coil	~12kg	

*Material: HDPE*

*Thickness:  $\geq 2\text{mm}$*


*Stand Pressure:  $\geq 3\text{MPa}$*

*Others size can be made by order.*





# Rib Sheathing




Model	ID (mm)	OD (mm)	Length	Weight	Package
2841	28.5	41.5	free	200g/m	free
3041	30.5	41.5	free	200g/m	free
3145	31	45	free	200g/m	free

Material: HDPE (聚乙烯)

Thickness:  $\geq 2\text{mm}$

Standard: ASTM D1599







# Raking Drain Pipe

Model	ID (mm)	OD (mm)	thick	Length	Weight
RD49	40	49	≥4.5mm	4m/unit	~350g/m
RD75	65	75	≥5mm	4m/unit	~550g/m
RD89	79	89	≥5mm	4m/unit	~750g/m


Material: HDPE (高密度聚乙烯)

Standard: ASTM D790





# Slot Drain Pipe





Model	ID (mm)	OD (mm)	Length	Weight	Package
SDP50	44	50	free	400g/m	free
SDP63	57	63	free	550g/m	free
SDP75	69	75	free	600g/m	free

*Material: PVC (聚氯乙烯)*

*Thickness:  $\geq 3\text{mm}$*

*Size can be made by order.*





# Strand centralizer




Model	ID (mm)	OD (mm)	thick	Length	pack
SC4	50	65	≥2mm	150m/coil	120g/m
SC5	65	85	≥2mm	150m/coil	120g/m

Material: HDPE (高密度聚乙烯)





# Strip Drain (HDPE)

Strip drain is a HDPE inner core overwrapped with a geotextile filter fabric.



Model	Wide (mm)	High (mm)	core thick	Length	Geotextile
SD20	200	20	≥1mm	16m/coil	≥200g/m <sup>2</sup>
SD30	300	20	≥1mm	16m/coil	≥200g/m <sup>2</sup>





# Manchette Tube (TAM Pipe)

Model	ID (mm)	OD (mm)	thick	Length	Weight
TAM40	70	80	≥1mm	5.2m/coil	600g/m

Material: ABS + U-PVC

